



Barco Healthcare

Medical solutions portfolio



About Barco

Focused on transforming the delivery of care, Barco connects healthcare professionals at every patient touch point, from the imaging room, to radiology, through specialist consultations and in the surgical suite. We offer a network of medical imaging solutions that deliver the complete picture to support more informed decisions, when and where it matters most.



Diagnostic displays



Recognized as the Visionary Innovation Leader in medical displays by Frost & Sullivan


More than a medical display

Increasing image volumes, the growing complexity of studies, and physical discomfort while reading are the three biggest challenges radiologists face today. That is the conclusion of a 2014 survey conducted by The MarkeTech Group. The solutions? Improved image quality (91%), a more efficient workflow (77%), and better display ergonomics (70%), as indicated by radiologists themselves.

We are able to provide capabilities that can improve the reading experience in all aspects: speed, accuracy, intuitiveness, flexibility and ergonomics. How? By offering a complete imaging solution – high-quality display, ultra-fast controller for fast image loading and manipulation and automated calibration & QA to ensure peak performance and uptime – in which all components function smoothly as a unified system.

Barco's integrated technology platform enables us to develop a unique set of Intuitive Workflow features resulting in a heightened user experience. Only Barco display systems offer this value-added toolset, which adds a new dimension to radiologists' workflow by streamlining frequent tasks with automated features. Designed to help you speed through your workload with ease, these built-in, easy-to-use functions appear at your command, seamlessly paving the way for effortless productivity and working comfort.

Intuitive Workflow tools line-up



	PROFILES	SCREENSHOT	AAM	VIRTUALVIEW	SPOTVIEW	TOUCH PAD	DIMVIEW	SMARTCURSOR	FINDCURSOR	SINGLEVIEW	CLONEVIEW
Coronis Uniti	✓	✓	✓	✓	✓ ³	✓	✓	✓	✓	✓	✓
Coronis Fusion	✓	✓	✓ ⁵	✓	✓ ²	✓ ⁴	✓	✓	✓	✓	✓
Coronis	✓	✓		✓	✓ ¹		✓	✓	✓		✓
Nio	✓	✓		✓	✓		✓	✓	✓		✓
Eonis	✓	✓		✓			✓	✓	✓		✓

1 MDCG-5221, MDCG-3221
 2 MDCC-4230, MDCC-4330, MDCC-6330 and MDCC-6430
 3 Enables I-Luminate during SpotView
 4 Optional on 4MP and 6MP Corion Fusion Displays
 5 Luminance adjustment only; color profile switching only available on Corionis Uniti

MediCal QAWeb



The industry's first secure online cloud-based service for calibration and Quality Assurance of medical displays. This all-inclusive secured system is your guarantee for consistent image quality and uptime of all PACS display systems, asset and fleet management throughout the healthcare enterprise.


What makes MediCal QAWeb so unique?

- > All-inclusive system that provides cost-conscious service options for maximum workstation uptime
- > Extended cloud-based remote calibration & QA support
- > Seamless implementation of regional QA guidelines
- > Automatic alerts & problem-solving
- > Global fleet and asset management services
- > Full audit trail and budget reporting
- > MQSA and regulatory reports
- > Compatible with all Barco diagnostic and clinical review displays
- > Compatible with non-Barco displays

Download MediCal QAWeb Agent for free

Coronis Uniti®

mammography radiology



The only diagnostic display system explicitly designed for both PACS and multimodality breast imaging. Unique in its representation of calibrated color and greyscales. Remarkable in its 2D and 3D capabilities. Capable of both static and dynamic imaging.


Your benefits

- > One display for all images to unify your workflow
- > 12% more pixels to display more or larger images
- > The brightest display on the market - delivers exceptional brightness resulting in more JNDs
- > Proven 10% higher detection when scrolling digital breast tomosynthesis images¹
- > Up to 30% increased detection probability thanks to patented I-Luminate technology²
- > Optimized for the standard field of vision and low reflection to minimize eye-fatigue
- > Intuitive workflow tools selectively dim/boost and focus light for closer inspection
- > Cleared for multimodality breast imaging, incl. breast tomosynthesis, 3D mammography, breast MRI, breast ultrasound, CT and ultrasound, including vascular and gynecological ultrasound

12 ways Coronis Uniti helps increase breast cancer detection



[Read more](#)



[Meet Coronis Uniti](#)

[Models and options](#)

Coronis Fusion

radiology




The first-ever diagnostic Fusion display system on the market, Coronis Fusion combines multiple images or studies on a single display. It can be used as a single, widescreen display or two bezel-free heads to view multiple images or studies.

Your benefits

- > Highest calibrated luminance in the 6MP display range today
- > IPS-Pro wider viewing angle and higher contrast ratio than competing LCD technologies
- > 33% more workspace to display more images
- > Uniform color reproduction across the entire screen (100%)¹, from center to edge (Color PPU)
- > Boosts reading productivity by up to 19%³
- > Less eye-strain during long reading sessions

Coronis Fusion by numbers



[Read more](#)

[Models and options](#)

Coronis

mammography radiology



A family of diagnostic displays ideal for high-quality imaging of diagnostic modalities. Engineered down to the smallest detail to ensure perfect luminance and DICOM compliance.

Your benefits

- > The brightest 3MP display on the market exceeding ACR guidelines
- > Exceptional local contrast optimized for faster reading
- > Subtle details are more conspicuous for easy detection (Per Pixel Uniformity)
- > Real-time intervention-free calibration and QA
- > Factory-fit glass front cover reduces reflections (<0.5%)
- > Comes with I-Luminate to aid in seeing subtle image details

Models and options

Nio

mammography radiology



A family of diagnostic displays that bring dependable diagnostic imaging to its true potential. Nio's proven technologies ensure diagnostic confidence at all times, making it the standard for the radiology reading room.

Your benefits

- > Most efficient dual-head option on the market
- > Highest brightness and contrast - luminance ratio exceeds ACR guidelines
- > Minimal image manipulations – less windowing, leveling, zooming & panning
- > More DICOM JNDs to see more subtle details quicker
- > Uniform image rendering center to edge
- > Factory-fit front cover reduces reflection and improves visible contrast

Models and options

Did you know?

HIGHER BRIGHTNESS & CONTRAST RATIO lead to MORE JNDs

the more JNDs, the MORE RADIOGRAPHIC DETAIL

PATENTED UNIFORMITY CORRECTION THROUGH THE LED

GUARANTEES

DICOM COMPLIANCE center to edge

Perfect uniform images
EXCELLENT image quality

OPTIMAL CLINICAL READ










SPEED & ACCURACY

No front sensor & intervention-free QA

ABSOLUTE IMAGE ACCURACY OVER TIME

That's why Nio is the best dual-head display system on the market.

Read more

	DIAGNOSTIC				DISPLAYS				
	2MP	3MP	4MP	5MP	6MP	12MP			
	MDNC-2221	MDNC-3421	MDCG-3221	MDCC-4330	MDNG-5221	MDNC-6121	MDCG-5221	MDCC-6430	MDMC-12133
									
SPECIFICATIONS	Nio Color 2MP	Nio Color 3MP	Coronis 3MP	Coronis Fusion 4MP	Nio 5MP	Nio Color 5MP	Coronis 5MP	Coronis Fusion 6MP	Coronis Uniti®
Warranty	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years Core
Active screen size (H x V)	432 x 324 mm (17.0 x 12.8")	433 x 325 mm (17.0 x 12.8")	325 mm x 433 mm (12.8" x 17.1")	654 x 409 mm (25.8 x 16.1")	422.4 mm x 337.9 mm (16.5 x 13.3")	433 x 325 mm (17 x 12.8")	422.4 mm x 337.9 mm (16.5 x 13.3")	654 x 409 mm (25.8 x 16.1")	708.1 x 472.1 mm (27.8 x 18.6")
Screen technology	TFT AM Color LCD IPS	TFT AM Color LCD IPS	UA-SFT (Ultra Advanced Super Fine Technology)	IPS-TFT color LCD	a-si TFT active matrix dual domain IPS	a-si TFT active matrix dual domain IPS	a-si TFT active matrix dual domain IPS	IPS-TFT color LCD	IPS
Diagonal size	540 mm (21.3")	540 mm (21.3")	540 mm (21.3")	772 mm (30.4")	540 mm (21.3")	540 mm (21.3")	540 mm (21.3")	772 mm (30.4")	853.44 mm (33.6")
Aspect ratio	4:3	4:3	4:3	16:10	5:4	3:4	5:4	16:10	3:2
Native resolution	2MP (1600 x 1200)	3MP (2048 x 1536)	3MP (2048 x 1536)	4MP (2560 x 1600)	5MP (2560 x 2048)	5.8MP (2100 x 2800)	5MP (2560 x 2048)	Native 6MP (3280 x 2048) Configurable to 2 x 3MP+ (1640 X 2048) Configurable to 2 x 3MP (1536 X 2048)	4200 x 2800
Luminance (DICOM calibrated)	800 cd/m ² (400 cd/m ²)	900 cd/m ² (500 cd/m ²)	1700 cd/m ² (600 cd/m ²)	1050 cd/m ² (600 cd/m ²)	1020 cd/m ² (500 cd/m ²)	1000 cd/m ² (500 cd/m ²)	1200 cd/m ² (600 cd/m ²)	1050 cd/m ² (600 cd/m ²)	2100 cd/m ² (1000 cd/m ²)
Contrast ratio	1400:1	1400:1	1400:1	1500:1	1200:1	1400:1	1200:1	1500:1	1200:1
Screen protection	Factory fit protective, non-reflective glass cover	Factory fit protective, non-reflective glass cover	Factory fit protective, non-reflective glass cover	Factory fit protective, non-reflective glass cover	Factory fit protective, non-reflective glass cover	Factory fit protective, non-reflective glass cover	Factory fit protective, non-reflective glass cover	Factory fit protective, non-reflective glass cover	Factory fit protective, non-reflective glass cover
Sensor technology	Integrated front-of-screen sensor, BLOS, ALC presets	Integrated front-of-screen sensor, BLOS, ALC presets	Integrated I-Guard front-of-screen photometer sensor, Intelligent Multi-Sensor Technology, ALC	Integrated I-Guard front-of-screen color sensor, Intelligent Multi-Sensor Technology, ALC	Integrated front-of-screen sensor, BLOS, ALC	Integrated front-of-screen sensor, BLOS, ALC	Integrated I-Guard front-of-screen photometer sensor, ALC	Integrated I-Guard front-of-screen photometer sensor, Intelligent Multi-Sensor Technology, ALC	Integrated color I-Guard front-of-screen photometer sensor, Intelligent Multi-Sensor Technology, ALC
Diagnostic imaging technology	ULT, MXRT, Intuitive Workflow Tools	ULT, MXRT, Intuitive Workflow Tools	PPU, DuraLight, MXRT, Intuitive Workflow Tools	Color PPU, SmoothGray, MXRT, Intuitive Workflow Tools with optional touchpad	ULT, MXRT, Intuitive Workflow Tools	ULT, MXRT, Intuitive Workflow Tools	PPU, SmoothGray, DuraLight, I-Luminate, MXRT, Intuitive Workflow Tools	Color PPU, SmoothGray, MXRT, Intuitive Workflow Tools with optional touchpad	SteadyColor, Color PPU, I-Luminate, RapidFrame, SmoothGray, DuraLight, Clear/BlueBase, SoftGlow, Filmclip, MXRT, Intuitive Workflow Tools with Touchpad
Video input signals	DVI-D Dual Link, DisplayPort	DVI-D Dual Link, DisplayPort	DVI-D Dual Link, DisplayPort	DVI-D Dual Link (2x), DisplayPort (2x)	DVI-D Dual Link, DisplayPort	DVI-D Dual Link, Display-Port	DVI-D Dual Link, DisplayPort	DVI-D Dual Link, DisplayPort	DP 1.2
Medical device regulations	FDA (510)k: Digital Radiography Class II EC: Diagnostic or therapeutical radiology, Class IIb	FDA (510)k: Digital Radiography Class II EC: Diagnostic or therapeutical radiology, Class IIb	FDA (510)k: Digital Radiography Class II EC: Diagnostic or therapeutical radiology, Class IIb	FDA (510)k: Digital Radiography Class II EC: Diagnostic or therapeutical radiology, Class IIb	FDA (510)k: Digital Radiography & Mammography Class II EC: Diagnostic or therapeutical radiology, Class IIb	FDA (510)k: Digital Radiography & Mammography Class II, including breast tomosynthesis EC: Diagnostic or therapeutical radiology, Class IIb	FDA (510)k: Digital Radiography & Mammography Class II EC: Diagnostic or therapeutical radiology, Class IIb	FDA (510)k: Digital Radiography Class II EC: Diagnostic or therapeutical radiology, Class IIb	FDA (510)k: Digital Radiography multi-modality breast imaging, incl. breast tomosynthesis, 3D mammography, breast MRI, breast ultrasound, CT and ultrasound, including vascular and gynecological ultrasound Class II EC: Diagnostic or therapeutical radiology, Class IIb
Package includes	Nio display system, MXRT graphics controller, Intuitive Workflow toolset, 5-year all-inclusive warranty, MediCal QAWeb Agent	Nio display system, MXRT graphics controller, Intuitive Workflow toolset, 5-year all-inclusive warranty, MediCal QAWeb Agent	Coronis diagnostic display system, MXRT graphics controller, Intuitive Workflow toolset, 5-year all-inclusive warranty, MediCal QAWeb Agent	Coronis Fusion diagnostic display system, MXRT graphics controller, Intuitive Workflow toolset, 5-year all-inclusive warranty, MediCal QAWeb Agent	Nio display system, MXRT graphics controller, Intuitive Workflow toolset, 5-year all-inclusive warranty, MediCal QAWeb Agent	Nio display system, MXRT graphics controller, Intuitive Workflow toolset, 5-year all-inclusive warranty, MediCal QAWeb Agent	Coronis diagnostic display system, MXRT graphics controller, Intuitive Workflow toolset, 5-year all-inclusive warranty, MediCal QAWeb Agent	Coronis Fusion diagnostic display system, MXRT graphics controller, Intuitive Workflow toolset, 5-year all-inclusive warranty, MediCal QAWeb Agent	Coronis Uniti diagnostic display system, MXRT graphics controller, Intuitive Workflow toolset, SoftGlow keyboard and wall light, Touchpad and film clip
Options	Additional MXRT graphics controller options, MediCal QAWeb Premium, Core+ Warranty	Additional MXRT graphics controller options, MediCal QAWeb Premium, Core+ Warranty	Additional MXRT graphics controller options, MediCal QAWeb Premium, Core+ Warranty	Additional MXRT graphics controller options, MediCal QAWeb Premium, Core+ Warranty	Additional MXRT graphics controller options, MediCal QAWeb Premium, Core+ Warranty	Additional MXRT graphics controller options, MediCal QAWeb Premium, Core+ Warranty	Additional MXRT graphics controller options, MediCal QAWeb Premium, Core+ Warranty	Additional MXRT graphics controller options, MediCal QAWeb Premium, Core+ Warranty	5-year Core warranty, MediCal QAWeb Premium

Eonis

dentistry

EMR

other



Clinical displays

A family of clinical displays for use in key clinical specialties and dental practices. Eonis delivers unmatched image consistency – providing healthcare professionals with consistent images, wherever they are – to make collaboration between specialists easier. Eonis displays can be managed centrally with MediCal QAWeb.

Your benefits

- > Designed and approved for hospital and dental environments
- > Ambient Light pre-sets for dark rooms, offices and the OR
- > Supports efficient inter-disciplinary collaboration with consistent quality controlled images
- > Cleanable displays for infection control (70% alcohol-based cleaning agents), safe for near-patient use
- > Efficient and intelligent enterprise IT workflow thanks to a built-in sensor with software tool to manage quality and assets
- > Lowest cost-of-ownership over time without a need for capital budget


Models and options

Eonis put to the test



Watch video

Eonis vs consumer displays



Watch video

Are you a dentist working in Germany?

Visit www.barco.com/de/dental to find a solution that complies with the DIN 6868-157 standard.

CLINICAL DISPLAYS

MDRC-1219 (TS)

MDRC-2221

MDRC-2122, Option TS

MDRC-2122, Option BL

MDRC-2122, Option WP

MDRC-2224, Option BL

MDRC-2224, Option WP



SPECIFICATIONS

MDRC-1219 (TS)

Eonis 21"

Eonis 22" touch

Eonis 22" black

Eonis 22" white

Eonis 24" black

Eonis 24" white

Warranty

3 years

3 years

3 years

3 years

3 years

3 years

3 years

Active screen size

376 x 301 mm
(14.81 x 11.85")

432 mm x 324 mm
(17" x 12.76")

267.3 mm x 475.2 mm
(10.52" x 18.71")

267.3 mm x 475.2 mm
(10.52" x 18.71")

267.3 mm x 475.2 mm
(10.52" x 18.71")

518.4 mm x 324.0 mm
(20.41" x 12.76")

518.4 mm x 324.0 mm
(20.41" x 12.76")

Screen technology

IPS-TFT Color LCD

TFT Color LCD

TFT Color LCD IPS

TFT Color LCD IPS

TFT Color LCD IPS

TFT Color LCD IPS

TFT Color LCD IPS

Diagonal size

482 mm (19")

541 mm (21.3")

542 mm (21.5")

542 mm (21.5")

542 mm (21.5")

611.3 mm (24.1")

611.3 mm (24.1")

Aspect ratio

5:4

4:3

16:9

16:9

16:9

16:10

16:10

Native resolution

1MP (1280 x 1024)

2MP (1600 x 1200)

2MP (1920 x 1080)

2MP (1920 x 1080)

2MP (1920 x 1080)

2MP (1920 x 1200)

2MP (1920 x 1200)

Luminance (DICOM calibrated)

330 cd/m² (250 cd/m²)

440 cd/m² (250 cd/m²)

250 cd/m² (180 cd/m²)

250 cd/m² (180 cd/m²)

250 cd/m² (180 cd/m²)

300 cd/m² (180 cd/m²)

300 cd/m² (180 cd/m²)

Contrast ratio

1000:1

1500:1

1000:1

1000:1

1000:1

1000:1

1000:1

Screen protection

n/a

n/a

Protective, non-reflective glass cover

n/a

Protective, non-reflective glass cover

n/a

Protective, non-reflective glass cover

Front sensor technology

Front consistency sensor

Front consistency sensor

Front consistency sensor

Front consistency sensor

Front consistency sensor

Front consistency sensor

Front consistency sensor

Cleanability

n/a

n/a

n/a

n/a

IP32

n/a

IP32

Video input signals

DisplayPort, DVI

DisplayPort, DVI

VGA, DisplayPort, HDMI

VGA, DisplayPort, HDMI

VGA, DisplayPort, HDMI

VGA, DisplayPort, HDMI

VGA, DisplayPort, HDMI

Medical device regulations

FDA & EC: Viewing of medical radiology images (Class I)

FDA & EC: Viewing of medical radiology images (Class I)

FDA & EC: Viewing of medical radiology images (Class I)

FDA & EC: Viewing of medical radiology images (Class I)

FDA & EC: Viewing of medical radiology images (Class I)

FDA & EC: Viewing of medical radiology images (Class I)

FDA & EC: Viewing of medical radiology images (Class I)

Package includes

- MDRC display
- 3-year all-inclusive warranty
- MediCal QAWeb Agent

- Eonis display
- 3-year all-inclusive warranty
- MediCal QAWeb Agent

- Eonis display
- 3-year all-inclusive warranty
- MediCal QAWeb Agent

- Eonis display
- 3-year all-inclusive warranty
- MediCal QAWeb Agent

- Eonis display
- 3-year all-inclusive warranty
- MediCal QAWeb Agent

- Eonis display
- 3-year all-inclusive warranty
- MediCal QAWeb Agent

- Eonis display
- 3-year all-inclusive warranty
- MediCal QAWeb Agent

Options

- MXRT graphics controller
- Intuitive Workflow toolset
- MediCal QAWeb Premium
- Core+ Warranty

- MXRT graphics controller
- Intuitive Workflow toolset
- MediCal QAWeb Premium
- Core+ Warranty

- MXRT graphics controller
- Intuitive Workflow toolset
- MediCal QAWeb Premium
- Core+ Warranty

- MXRT graphics controller
- Intuitive Workflow toolset
- MediCal QAWeb Premium
- Core+ Warranty

- MXRT graphics controller
- Intuitive Workflow toolset
- MediCal QAWeb Premium
- Core+ Warranty

- MXRT graphics controller
- Intuitive Workflow toolset
- MediCal QAWeb Premium
- Core+ Warranty

- MXRT graphics controller
- Intuitive Workflow toolset
- MediCal QAWeb Premium
- Core+ Warranty



Surgical displays

A family of surgical displays designed for real-time critical imaging in the operating room. The portfolio comprises near-patient and large-screen displays for use in any environment where surgical procedures are carried out, including the endoscopy room, interventional suite or hybrid OR. Available in high definition or 4K ultra-high definition.

Your benefits

- > Deep blacks and accurate colors from any viewing angle
- > Near-zero latency provides perfect surgical hand-eye coordination
- > Improved visualization in high ambient light environments
- > Backlight output stabilization guarantees image stability and brightness over the lifetime of the display
- > Cleanable infection control design complies with strict OR hygiene standards
- > Unique cable management system makes it easy to install and disinfect
- > Automated failover feature so a backup signal is always available
- > Perfect match with Barco's Nexxis [OR-over-IP platform for full OR](#) integration

4 ways 4K changes surgical imaging:




[Download ebook](#)

Models and options

SURGICAL DISPLAYS

ENDOSCOPY DISPLAYS

LARGE-SCREEN DISPLAYS



SPECIFICATIONS	E192HSA	MDSC-2224	MDSC-2226	MDSC-2326 High Bright	MDSC-2232	MDSC-8231	MDSC-8232	MDSC-2242	MDSC-8255	MDSC-8258	
Warranty	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	2 years	
Active screen size (H x V)	376 x 302 mm (14.8" x 11.89")	518.4 x 324 mm (20.4" x 12.7")	576 x 324 mm (22.7" x 12.8")	576 x 324 mm (22.7" x 12.8")	698 x 393 mm (27.48" x 15.47")	698 x 368 mm (27.48" x 14.49")	698 x 368 mm (27.48" x 14.49")	930 x 523 mm (36.6" x 20.6")	1210 x 640 mm	1270 x 721.5 mm (50" x 28.4")	
Screen technology	TFT AM LCD / S-IPS / LED backlight	TFT AM LCD / S-IPS technology / LED backlight	TFT AM LCD / IPS-PRO / LED backlight	TFT AM LCD / IPS-PRO / LED backlight	TFT AM LCD / S-IPS technology / LED backlight	TFT AM LCD / IPS-PRO technology / LED backlight	TFT AM LCD / IPS-PRO technology / LED backlight	TFT AM LCD / LED backlight	TFT AM LCD / IPS technology / LED backlight	a-si TFT active matrix	
Diagonal size	19" (481.8 mm)	24" (611.3 mm)	26" (661 mm)	26" (661 mm)	31.55" (801 mm)	31" (789 mm)	31" (789 mm)	42" (1067 mm)	54.6" (1388 mm)	58" (1473 mm)	
Aspect ratio	5:4	16:10	16:9	16:9	16:9	17:9	17:9	16:9	16:9	16:9	
Native resolution	1MP (1280 x 1024)	2MP Full HD (1920 x 1200) WUXGA	2MP Full HD (1920 x 1080)	2MP Full HD (1920 x 1080)	2MP Full HD (1920 x 1080)	4K-2K UHD (4096 x 2160)	4K-2K UHD (4096 x 2160)	2MP Full HD (1920 x 1080)	8MP 4K UHD (3840 x 2160)	8MP 4K UHD (3840 x 2160)	
Luminance	300 cd/m ²	350 cd/m ²	450 cd/m ²	900 cd/m ²	450 cd/m ²	550 cd/m ²	550 cd/m ²	500 cd/m ²	500 cd/m ²	700 cd/m ²	
Contrast ratio	900:1	1000:1	1400:1	1400:1	1300:1	1400:1	1400:1	4000:1	1000:1	4000:1	
Screen protection	Double-side anti-reflective PMMA protective cover	Double-side anti-reflective PMMA protective cover	Double-side anti-reflective PMMA protective cover	Scratch-resistant 2-side anti-reflective alkali-aluminosilicate glass cover	Double side anti-reflective tempered glass protective cover	Scratch-resistant 2-side anti-reflective alkali-aluminosilicate glass cover	Double side anti-reflective tempered glass protective cover	Double side anti-reflective tempered glass protective cover	Scratch-resistant, 2-side anti-reflective glass cover	Double side anti-reflective laminated glass protective cover	
Cable management	n/a	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Cleanability	IP21 (IPx5 front)	IP21 (IPx5 front)	IP21 (IPx5 front)	IP21 (IPx5 front)	IP20 (IP45 front side only)	IP20 (IP45 front side only)	IP20 (IP45 front side only)	IP21 (IPx5 front side only)	IP20 (IP45 front side)	IP20 (IP21 with protective glass)	
Failover	n/a	Yes	Yes	Yes	Yes	Yes	Yes	Yes	n/a	n/a	
Video input signals	DVI-D, VGA, RGBS / YPbPr, S-video, Composite video, 3G-SDI	DVI-I (HDMI support), RGBS / YPbPr, S-video, Composite video, 3G-SDI, DisplayPort (1.1a) Optional: integrated Nexxis MNA-120 network adapter / 2nd DVI / 2nd SDI	DVI-I (HDMI support), RGBS / YPbPr, S-video, Composite video, 3G-SDI, DisplayPort (1.1a) Optional: integrated Nexxis MNA-120 network adapter / 2nd DVI / 2nd SDI	DVI-I (HDMI support), DVI-D, 2x 3G-SDI, RGBS / YPbPr, S-video, Composite video, DisplayPort 1.1a Optional: integrated Nexxis MNA-120 decoder	DVI-I (2x - HDMI support), RGBS / YPbPr, S-video, Composite video, 3G-SDI (2x), DisplayPort (1.1a) Optional: integrated Nexxis MNA-120 network adapter	2x DP 1.1, 1x DP 1.2 MST, 1x DVI, 1x 3G-SDI Optional: integrated Nexxis MNA-240 network adapter	2x DP 1.1, 1x DP 1.2 MST, 1x DVI, 1x 3G-SDI Optional: integrated Nexxis MNA-240 network adapter	DVI-I (HDMI support), RGBS / YPbPr, S-video, Composite video, 3G-SDI, DisplayPort (1.1a) Optional: integrated Nexxis MNA-120 network adapter	2x DP 1.1, 1x DP 1.2 MST, 1x DVI, 1x 3G-SDI Optional: 2x FO SFP+ module for 4K-UHD Nexxis link	DVI Dual link (2x) Optional: Nexxis MNA-240 network adapter	
Video output signal	DVI / SDI / S-video / Composite	DVI / SDI / S-video / Composite	DVI / SDI / S-video / Composite	DVI-D / 2x 3G-SDI / S-video / Composite	DVI / SDI / S-video / Composite	DVI (UHD downscaled) 3G-SDI (input loop-through)	DVI (UHD downscaled)	DVI / SDI / S-video / Composite	DVI (UHD downscaled) 3G-SDI (input loop-through)	n/a	
Medical device regulations	FDA & EC: Endoscopic and Surgical imaging (Class I)	FDA & EC: Endoscopic and Surgical imaging (Class I)	FDA & EC: Endoscopic and Surgical imaging (Class I)	FDA & EC: Endoscopic and Surgical imaging (Class I)	FDA & EC: Endoscopic and Surgical imaging (Class I)	FDA & EC: Endoscopic and Surgical imaging (Class I)	FDA & EC: Endoscopic and Surgical imaging (Class I)	FDA & EC: Endoscopic and Surgical imaging (Class I)	FDA & EC: Endoscopic and Surgical imaging (Class I)	FDA & EC: Endoscopic and Surgical imaging (Class I)	
Package includes:	<ul style="list-style-type: none"> E192HSA display 3-year all-inclusive warranty 	<ul style="list-style-type: none"> MDSC display 3-year all-inclusive warranty 	<ul style="list-style-type: none"> MDSC display 3-year all-inclusive warranty 	<ul style="list-style-type: none"> MDSC display 3-year all-inclusive warranty 	<ul style="list-style-type: none"> MDSC display 3-year all-inclusive warranty 	<ul style="list-style-type: none"> MDSC display 3-year all-inclusive warranty 	<ul style="list-style-type: none"> MDSC display 3-year all-inclusive warranty 	<ul style="list-style-type: none"> MDSC display 3-year all-inclusive warranty 	<ul style="list-style-type: none"> MDSC display 3-year all-inclusive warranty 	<ul style="list-style-type: none"> MDSC display 3-year all-inclusive warranty 	<ul style="list-style-type: none"> MDSC display 2-year all-inclusive warranty
Options	<ul style="list-style-type: none"> Ask about our different model options and associated accessories Core+ warranty 	<ul style="list-style-type: none"> Ask about our different model options and associated accessories Core+ warranty 	<ul style="list-style-type: none"> Ask about our different model options and associated accessories Core+ warranty 	<ul style="list-style-type: none"> Ask about our different model options and associated accessories Core+ warranty 	<ul style="list-style-type: none"> Ask about our different model options and associated accessories Core+ warranty 	<ul style="list-style-type: none"> Ask about our different model options and associated accessories Core+ warranty 	<ul style="list-style-type: none"> Ask about our different model options and associated accessories Core+ warranty 	<ul style="list-style-type: none"> Ask about our different model options and associated accessories Core+ warranty 	<ul style="list-style-type: none"> Ask about our different model options and associated accessories Core+ warranty 	<ul style="list-style-type: none"> Ask about our different model options and associated accessories Core+ warranty 	<ul style="list-style-type: none"> Ask about our different model options and associated accessories Core+ warranty

Smart displays and user interfaces

Smart displays and user interfaces

surgery

EMR

other



A range of displays that offer an intuitive, ergonomic touch experience, specially designed for use in a medical environment. They can be used for a variety of applications, including the digital operating room and medical carts. Wherever clinicians need access to detailed information, at the touch of a fingertip.

Your benefits

- > Multi- and single-touch functionality for quick operation
- > Ergonomic interaction, even when wearing gloves
- > Fit for use in highly demanding, mission-critical environments
- > Special design that allows for easy cleaning and infection control
- > Easy to install, whether on carts, arms or booms

Models and options

SMART DISPLAYS AND USER INTERFACES



SPECIFICATIONS

**MDRC-2122,
Option TS**

**MDRC-1219,
Option TS**

AMM 215WTP

MUIP-2112

Warranty	3 years	3 years	18 months	2 years
Active screen size	267 x 475 mm (10.5" x 18.7")	376 x 301 mm (14.8" x 11.8")	476 x 267 mm (18.7" x 10.5")	276 x 157 mm (10.8" x 6.2")
Screen technology	TFT Color LCD IPS	IPS-TFT Color LCD	TFT AM LCD	TFT AM LCD
Diagonal size	21.5" (542 mm)	19" (482 mm)	21.5" (545 mm)	12.5" (317 mm)
Aspect ratio	16:9	5:4	16:9	16:9
Native resolution	2MP (1920 x 1080)	1MP (1280 x 1024)	2MP (1920 x 1080)	2MP (1920 x 1080)
Luminance	250 cd/m ²	330 cd/m ²	250 cd/m ²	400 cd/m ²
Contrast ratio	1000:1	1000:1	1000:1	1000:1
Screen protection	Protective, non-reflective glass cover	N/A	N/A	Anti Glare (Gloss 50)
Cleanability	N/A	N/A	N/A	IP54 (with sealed connector cover)
Video input signals	VGA, DisplayPort, HDMI	DVI, DisplayPort	DVI-D, VGA	N/A
Medical device regulations	FDA & EC: Viewing of medical radiology images (Class I)	FDA & EC: Viewing of medical radiology images (Class I)	FDA & EC: Endoscopic and Surgical imaging (Class I)	Medical device, class 1

**Barco technologies
that make a difference**

I-Guard™ front sensor

This integrated, patented front-of-screen photometer has become the industry-standard technology for monitoring image quality and DICOM consistency. The new generation of I-Guard has been improved to measure much finer gradations of colors spread over the color gamut of the display. Combined with Barco's MediCal QAWeb service, it provides an easy-to-use tool for calibration and Quality Assurance.

Benefits

- > Worry-free DICOM accuracy
- > Continuous, automated QA of the entire optical stack
- > Remote assessment of your display's image quality




Ambient Light Compensation™ (ALC)

Ensures that your diagnostic display system remains DICOM compliant under all lighting conditions by monitoring display brightness compared to the ambient light level in the room. In combination with MediCal QAWeb, ALC warns you when the ambient light level exceeds a predefined threshold.

Benefits

- > DICOM compliance under all lighting conditions
- > Optimal image quality in every environment so no detail goes unnoticed




Uniform Luminance Technology™ (ULT)

LCD panels typically suffer from non-uniform behavior across more than 25% of the screen area, causing noise in the image. ULT eliminates those luminance and color non-uniformities, making sure that your display is compliant with DICOM GSDF across the entire screen area.

Benefits

- > Uniform luminance across the entire screen
- > Perfect DICOM compliance from center to corner




Color Per Pixel Uniformity™ (PPU)

Measures and adjusts the luminance of each pixel and makes it permanently DICOM compliant. As such, PPU eliminates screen noise, ensuring consistent colors and grayscales.

Benefits

- > Reduced screen noise
- > Improved contrast and accuracy in fine details
- > Improved image quality at a lower dose to the patient




Fusion

'Fusion' design replaces a dual-head display setup by a single, large-screen monitor without a hindering central bezel. It allows you to place more images on the screen – just the way you want – which has proven to increase productivity by up to 19% and reduce eye strain.

Benefits

- > Improved reading productivity
- > Easy side-by-side comparison of studies
- > Reduced eye fatigue



Barco Optical glass™


Reduces reflection, enhances image sharpness and viewing comfort. The multi-coated glass is highly durable, scratch-resistant, and protects the LCD panel from physical damage. A protective front cover – available on all Barco displays – further enhances the diagnostic experience.

Benefits

- > Protection of your valuable LCD panel
- > Improved image contrast & minimal reflections
- > Easy and safe cleaning



I-Guard video




Watch video

ULT technology highlight



Download

Coronis Fusion by numbers



Download

Optical glass technology highlight



Download

IPS-Pro

A breakthrough LCD architecture offering a significantly wider viewing angle than competing LCD technologies. It ensures images are displayed more accurately and with a higher contrast ratio near the sides of the display. With IPS-Pro, the viewing angle is 120°, which is nearly twice the value achieved by other technologies.

Benefits

- > Superior diagnostic accuracy
- > Wider viewing angle improves multiuser viewing



RapidFrame

For high-speed cine imaging without blur when reviewing multi-frame image sequences – such as tomosynthesis, breast ultrasound and breast MRI – or when hovering over the image with the magnifying glass. RapidFrame technology counteracts motion blur by providing a high pixel refresh rate.

Benefits

- > High-speed cine imaging without blur for fast interpretation
- > Increased screening efficiency due to highly efficient diagnostic workflow




I-Luminate™

This brightness boost system has proven to increase detection of microcalcifications by up to 30%! Simply push the I-Luminate™ 'hot light' button to temporarily boost your display brightness. Combined with Barco's handy film clip, I-Luminate allows you to compare studies with film-based priors on the display.

Benefits

- > Enhanced perception of small and low contrast details
- > Simplified comparison with film-based studies
- > Uninterrupted DICOM-compliance




SteadyColor™ & SteadyGray™

Around 90% of images generated are now in color and color is often used for additional functionality (e.g. combining Doppler images with ultrasound). In order to guarantee consistent, perceptually linear color and still meet the DICOM standard for grayscales, SteadyColor executes advanced calibration for both grayscale and all Just Noticeable Differences (JNDs). This is achieved using multiple sensors in combination with numerous 3D Look-Up Tables (LUTs). SteadyGray uses the same color calibration technology to achieve a more constant and consistent gray appearance.

Benefits

- > Maximize the diagnostic value of color in images
- > Maintain image quality and DICOM compliance under all lighting conditions




SpotView™

SpotView creates a bright focal point on the screen, enhancing brightness and contrast inside a circular region of interest while dimming the surrounding image area. This heightens visibility of subtle differences in the image. With SpotView Mag, you can even double the size of the image so no detail goes unnoticed.

Benefits

- > Better visibility of subtle differences in the image
- > Extremely helpful when viewing pediatric extremities, breast calcifications and chest exams




DimView™


DimView automatically dims the auxiliary displays used for patient worklists or dictation, reducing peripheral ambient light during readings so the eye can better focus on details on the diagnostic display.

Benefits

- > Improved focus on the main display, no distractions
- > More ergonomic reading experience



RapidFrame video




[Watch video](#)

SteadyColor technology highlight



[Download](#)

SpotView video



[Watch video](#)

DimView video



[Watch video](#)

SmartCursor/ FindCursor

The use of multiple resolution displays in a PACS workstation results in the cursor often getting stuck traveling from one display to another, if you can even locate the cursor in the first place. SmartCursor maps the cursor to the correct places in the adjacent display. FindCursor indicates the location of the cursor with a highlighted circle.

Benefits

- > Avoid losing time locating or moving the mouse cursor
- > Smoother and faster workflow



VirtualView™

VirtualView provides radiologists with a virtual navigational head on the main display. It appears and disappears on user command, allowing you to add or remove this screen content at your convenience.

Benefits

- > View other screen content more comfortably
- > Ideal for viewing worklists, research, dictation, or ancillary tasks
- > Reduce the number of displays needed; simplify the desktop




Conference CloneView

Conference CloneView software is a high-performance, easy-to-use tool for projecting medical images from a diagnostic display onto a large screen, especially useful in classroom settings.

Benefits

- > High-quality cloned image without losing pixel precision
- > Fosters collaboration between peers
- > Ideal during multi-disciplinary team meetings



Application Appearance Manager™

Application Appearance Manager allows you to individually manage the color profile and luminance of each application window so content appears as intended.

Benefits

- > Seamlessly integrate color (e.g. color photos) into the diagnostic workflow
- > Manage the luminance of application windows depending on image content



User Profiles

User Profiles creates a custom profile, set per modality and per user. It enables a quick environment switch for image type, such as a lower luminance for X-ray images and high

Benefits

- > Read images according to your own preferences
- > Automatically get the right display settings for every modality




SingleView™

SingleView enables the use of the entire display as one display, and eliminates any tearing down the center of the display.

Benefits

- > More flexible desktop where images can be placed in the center of the screen
- > More ergonomic viewing experience



Screenshot

Capturing ideal images for meetings and review, this tool enables you to take a screenshot of what is currently in focus.

Benefits

- > Easy to communicate and share images and data
- > Fosters easy collaboration between peers



SmartCursor / FindCursor video



Watch video




Watch video


VirtualView video



Watch video
















































Watch video



Watch video

Icon overview

	Standard 5-year warranty		Front-of-screen sensor		DICOM grayscale and color
	10 bit Look Up Table		Approved for medical use		Color Per Pixel Uniformity Correction
	12 bit Look Up Table		On Screen Display		Screenshot of image details
	30 bit Look Up Table		Per Pixel Uniformity correction		Application Appearance Manager
	LED backlight		MediCal QA software included		A virtual display
	Integrated Ambient Light Compensation		Usable in portrait and landscape mode		Focus light
	Backlight Output Stabilization		Touch screen interface		Dims auxiliary displays
	Color display		Uniform Luminance technology		Locates the mouse cursor
	Grayscale display		Exceptionally wide viewing angle		Avoids the cursor getting stuck
	Anti-reflective protective front cover		Ultra-smooth grayscale precision		For large-screen projection
	Anti-reflective protective front glass		Widescreen aspect ratio		4K native display resolution of 4096 by 2160 pixels
	Diagnostic Luminance (Ultra bright display)		DisplayPort interface		
	Compliant with DICOM specifications		Multiple built-in sensors		
	Long-lifetime backlights		Cleared for breast tomosynthesis		
	Environmental-friendly product		'Hot light' button		
	Seamless wide-screen desktop		High-speed cine imaging without blur		
	Integrated front-of-screen sensor		Front consistency sensor		

Find the medical solution you need
in just two clicks!

Go to our online product finder at
www.barco.com/productfinders/medicaldisplays



About Barco Healthcare

Improving the quality and value of care are the leading priorities for healthcare professionals today. At a time when the amount of data is growing rapidly and there is more demand for mobility, healthcare systems struggle to work more efficiently, and to provide personalized care to a growing number of patients in an affordable way.

Focused on transforming the delivery of care, Barco connects healthcare professionals at every patient touch point, from the imaging room, to radiology, through specialist consultations and in the surgical suite. We offer a network of medical imaging solutions that deliver the complete picture to support more informed decisions, when and where it matters most.

It's why we are considered the gold standard for medical visualization and how we are there at every stage of the patients' journey. So healthcare professionals can focus on patients' needs and, in the end, achieve the best clinical outcome.

Barco, enabling bright outcomes

¹ Marchessoux, C., et al. (2011). Validation of a new digital breast tomosynthesis medical display. Proceedings of SPIE, 7966, 79660R

² Kimpe, T. R. & Xthona, A. (2012). Quantification of detection probability of microcalcifications at increased display luminance levels. , Breast Imaging, Springer 7361, 490-497.

³ Mony Weschler, Montefiore Medical Center, 2012

M00193-R17-0417-PC April 2017

Technical specifications are subject to change without prior notice. Please check www.barco.com for the latest specifications. The latest version of this brochure can be found on www.barco.com. All projector specs mentioned in this brochure are in accordance with ISO 21118 standards.